

Fisher Swim™

Technical Information Pack



**FISHER™
SPAS**

Fisher Swim™



JETS

36



SEATING

5 seats



DIMENSIONS 2.31 x 4.49 x 1.30m

SPECIFICATIONS

Dry weight	1150 kg
Water capacity	6120 litres
Filled weight	7350 kg
SmartFlo™ jet pump(s)	3 x 2.5 hp
SmartFlo™ circulation pump	1
SmartFlo™ air blower	1
Electrical requirements	32amp

FEATURES

- QuadCore™ shell construction
- FisherFlex™ plumbing system
- Premium SpaNet™ SV3 control system
- Premium Dual Layer insulation
- SoftTouch™ head rest
- FisherFrame™ galvanised steel frame
- Stainless Steel jets
- Wide mouth filtration
- Ultraglow™ in-spa illumination
- Ultraglow™ LED perimeter lighting
- Integrated heat pump control

OPTIONAL UPGRADES


- SpaNet™ heat pump
- Fisher™ WiFi & audio system
- Fisher Spas™ swim pole kit

WARRANTIES

Non Pro rata Structural	10yrs
Non Pro rata Acrylic Surface	5yrs
Plumbing, Heater & Jets	5yrs
Pumps & Equipment	2yrs
Frame	Lifetime



* Conditions apply. Specifications may change without notice.
May be pictured with some options included.



4 x Air Controls



1 x Waterfall Valve



2 x Diverter Valve



4 x 88mm Directional Jets



2 x 88mm Roto Jets



10 x 50mm Directional Jets



6 x Suction



10 x Air Jets



1 x Ozone Jet



4 x Cup Holders



2 x Lights



5 x Drain



4 x Vents



3 x 127mm Directional Jets



20 x Perimeter Lights



3 x Speakers



3 x Swim Jets



4 x 127mm Roto Jets



4 x Laminar Jets



**FISHER
SPAS**





Illustration shows Fisher Swim™ spa pool model

 Equipment Bay	 Drain Valve	 Circulation Pump
 Keypad	 Boost Pump	 Heater
 Conduit Access	 Boost Pump Extra Boost Pump	

* Conduit access should be no more than 100mm high above the concrete slab.





**FISHER™
SPAS**